

CAUTION
KEEP OUT OF REACH OF CHILDREN

TM

Rejex-it Fog Force

BIRD REPELLENT

ACTIVE INGREDIENT:

Methyl Anthranilate
(Methyl 2-aminobenzoate)40.0%
OTHER INGREDIENTS60.0%
TOTAL100.0%

Rejex-it Fog Force is formulated with food grade ingredients.

Read Label before Use

See inside this label booklet for additional Precautionary Statements and directions for use



FIRST AID

If in eyes

- Hold eye open and rinse slowly & gently with water for 15-30 minutes. Remove contact lenses, if present, after the first 5 minutes, & then continue rinsing.
- Call the Poison Centre 0800 764 766 (NZ) or your doctor for treatment advice.

If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call the Poison Centre 0800 764 766 (NZ) or your doctor for emergency medical treatment information or treatment advice.

Have the product container or label with you when calling the Poison Centre or your doctor, or going for treatment.

UN 3082

NET CONTENTS: 3.78 Litres (1 US Gal.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: harmful if absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to fish-bearing bodies of water or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwater or rinsate. This repellent is slightly toxic to fish and aquatic invertebrates.

DIRECTIONS FOR USE. (Only use undiluted.)

INDOOR APPLICATIONS with AUTOMATIC TIMED DIFFUSERS

(Dairy Sheds, Warehouses, Hangers, Garages, Assembly plants, etc.)

Use diffuser machines with particle emissions that are less than 15 microns in size. The **Cobratech** range of equipment is specially designed for Fog Force applications and can be adjusted to suit individual output requirements. A typical start setting would be for 10 second spray nozzle activation every 3 minutes. The output can be reduced as the birds leave. Air circulation is very beneficial for best results. Position the machines to take maximum advantage of any natural or artificial air movement. Ensure the product comes in direct contact with the target birds.

Apply Rejex-it Fog Force undiluted. In enclosed areas, the emission rate is not to exceed 575ml per 1000 cubic metres of space to be treated, per week. Ensure there is 1.5 metres of free air space in front of outlet nozzles.

OUTDOOR APPLICATIONS with AUTOMATIC TIMED DIFFUSERS

(Building Sites, Rooves, Oil Refineries, Loading Bays, Gardens etc

Use Fog Force with suitable Diffuser Equipment outdoors to repel pest birds. Set up in the same manner as above taking special note of prevailing wind directions.

INDOOR APPLICATIONS with THERMAL FOGGERS

Direct the outlet towards the birds. Keep the nozzle 1.5 metres away from surfaces and greenery to avoid any discoloration from the heat generated when using thermal foggers. Air movement is critical to get the product to the birds. Position the machine to take maximum advantage of any natural or artificial air movement. Wear a breathing apparatus as normally specified in a smoky environment. Do not smoke while applying this product.

Thermal Foggers turn Fog Force into millions of particles less than 1 micron in size and will make birds very sensitive when they smell the Fog Force fragrance again from automatic timed diffusers.

OUTDOOR FOGGING APPLICATIONS with THERMAL FOGGERS.

GENERAL: Apply Rejex-it Fog Force undiluted. Point the fog generator in the general direction of the nuisance birds, keeping the fog generator at least 1.5 metres away from any structure or object to allow for complete dissipation of the fog. A distance of at least 1.5 metres from any structure or object prevents any damage to desired materials from the heat generated. Position the machine to take maximum advantage of prevailing winds. Wear a breathing apparatus as normally specified in a smoky environment. Do not smoke while applying this product.

Several treatments, 1 to 4 days apart may be required for removal of all nuisance birds.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals. Store apart from pesticides, fertilisers, food or feed that may cause cross-contamination from odour. Keep container closed when not in use.

REPELLENT DISPOSAL: Product or rinse water that cannot be used according to label instructions must be disposed of according to government or approved local government procedures. Water resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: - Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

THERMAL FOGGER OUTDOOR FOGGING APPLICATIONS continued

ELECTRICAL SUBSTATIONS, FARMSTEADS, AGRICULTURAL SITES, STRUCTURES, BUILDINGS, AIRPORTS, AND OTHER OPEN AREAS

Expose as many birds as possible to the thermal fog for fast and lasting results. Apply Rejex-it Fog Force when birds have settled down or are roosting in the structure and/or wires of the substation. Withhold treatment until conditions favouring successful use arise. Eg.(temperature, direction, and speed of wind) to be able to achieve best coverage of the infested structure. For best results, make applications in the evening, when most of the birds have arrived, but before it gets too dark for the birds to leave once exposed to the fog.

Trees and Shrubs

Apply Rejex-it Fog Force when the birds have settled down. Withhold treatment until conditions favouring successful use arise (temperature, direction, and speed of wind). For best results, make applications in the evening, when most of the birds have arrived, but before it gets too dark for the birds to leave once exposed to the fog. Application in the morning after the birds normally leave does not have much effect. To prevent damage to foliage, do not allow Rejex-it Fog Force to accumulate to the point of runoff.

Lakes, Ponds, Harbours, Boat Docks and Aquatic Production Sites.

Do not apply directly to water. However, it is expected that overspray may occur. The dry fog with a droplet size below 20 microns, will stay suspended and does not settle on the water surface. Set fogger upwind so that the wind will carry the fog in the general direction of the birds. Apply as soon as birds arrive. For roosting birds, the product is best applied in the evening when most of the birds have arrived but before it gets too dark for the birds to leave.

Turf (Golf courses, lawns, sports fields, parks, etc)

Set fogger upwind so that the wind will carry the fog in the general direction of the birds. Apply at any time of the day when birds are present. To control Canada geese, apply at any time when they are feeding or roosting, except when they sit on a nest during breeding season.

FRUIT APPLICATIONS

Agricultural uses: for application to cherries, blueberries, grapes, apples, stone fruits, cereal grains, and sunflowers etc

Use this product to limit damage caused by birds on ripening crops. Withhold treatment until fruit is susceptible to bird damage. To avoid damage to foliage or fruit discoloration, do not allow Rejex-it Fog Force to accumulate to the point of runoff. Birds must be exposed to the airborne Rejex-it Fog Force if it is to achieve lasting results. Direct fog into the crop area. Do not apply when crop is wet or if rain is expected. This product may be applied up to the day of harvest. Repeat treatment if significant bird damage begins to occur. Also apply to the birds roost areas nearby (trees) at dusk.

ERMA NZ Approval Code: HSR 100438

see www.ermanz.co.nz for approval conditions

Imported & Distributed By: **Alcom New Zealand Ltd, PO Box 305, Motueka 7143, NZ. Ph 035289405**

Manufactured by: **Ceannard Inc, PO Box 2404 • Gastonia, NC 28053 USA.**

OUTDOOR APPLICATIONS with ULV FOGGERS.

Point the fog generator in the general direction of the nuisance birds. Allow 6 metres of free air space in front of the machine. Best product performance is achieved with a dry fog. Consult the fog generator owner's manual for proper settings to assure a dry fog. ULV foggers and aerosol generating equipment with a minimum application size of < 30 microns may be used to apply this product.

Do not allow the spray to "wet" a painted surface or to contact foliage. For automated fogging applications, point the fogger in the direction of the birds or their expected approach. Set the fog generator for an appropriate duration as needed to repel target birds, such as 10 seconds on every 2 minutes during the time of expected bird activity.

AsureQuality

NOTICE: Passed AsureQuality assessment for food/beverage/ including dairy farms and factories food areas non contact & any food contact surface residues removed (cat A) h2640 - see full report.

DIRECT APPLICATIONS (NON-FOGGING)

Rejex-it Fog Force can be sprayed directly on to surfaces to repel birds. Do not allow the spray to "wet" a painted surface or to contact foliage. Maximum application rate is 22.5 litres per hectare (9kg a.i. per hectare) and can be applied up to 12 times per year.

Non-fish-bearing bodies of water (tailing ponds, commercial or industrial water impoundments, and decorative fountains): -

Apply Rejex-it Fog Force at a rate of 2.25 litres per 1000m² (0.9 kg a.i. per 1000m²) of water surface at 3-4 week intervals. Adjust timing of subsequent applications as required by bird activity and anticipated seasonal migrations. The Fog Force will float on the surface. Best applied undiluted or with a surfactant approved for use in water applications to ensure water surface coverage.

Landfills: Apply Rejex-it Fog Force at a rate of 2.25 litres per 1000m² directly to the active site face as soon as the birds start to arrive. Repeat applications as long as birds persist. Make applications with conventional spray equipment, hydro seeders and other liquid application equipment. Product is best applied undiluted or with surfactant to ensure uniform coverage.

NOTE: Fog Force is oil based so clean up any spray equipment with a soap solution.

WARRANTY STATEMENT

NOTICE: The directions for use of this product are believed to be adequate and must be followed carefully. To the extent consistent with applicable law, Alcom New Zealand Ltd does not make, nor does it authorize any agent or representative to make any oral or written warranty, guarantee, or representation, express or implied, concerning this material or the use thereof beyond the statements of the label. To the extent consistent with applicable law, The manufacturer, Alcom New Zealand Ltd nor the seller shall be held responsible in any manner for any claim of personal injury or property damage or loss resulting from handling, storage, or use of this material not in accordance with the written directions. To the extent consistent with applicable law, the buyer assumes all risk and liability resulting from handling, storage, or use, or purchaser accepts and uses this material on these conditions. No other warranty exists.